B 1952 51-4	AA	A Water			
		CENTRAL INTELLIGENCE AGENCY			
	CLASSIFICATION		<b>3</b>		
	CLASSIFICATION	SECRET SECURITY INFORMATION	25X1		
		INFORMATION REPORT	REPORT		
			CD NO.		
OUNTRY	Czechoslovakia		DATE DISTR. 13 February 1953		
UBJECT		ch Institute, Ministry of	NO. OF PAGES 4		
	Light Industry 25X1				
ATE OF	. 20/(1		NO. OF ENCLS. 1 (1 page)		
LACE			SUPPLEMENT TO		
CQUIRED		25X1	REPORT NO.		
OF THE UNITED : AND 794, OF THE LATION OF ITS :	CONTAINS INFORMATION AFFECTING THE NA STATES, WITHIN THE MEANING OF TITLE 18 E U.S. CODE, AS AMENDED, ITS TRANSMI CONTENTS TO OR RECEIPT BY AN UNAUTHOR AW, THE REPRODUCTION OF THIS FORM	s, SECTIONS 793 ISSION OR REVE- RIZED PERSON IS	ALUATED INFORMATION		
OF THE UNITED : AND 794, OF THE LATION OF ITS :	STATES, WITHIN THE MEANING OF TITLE 18 E U.S. CODE, AS AMENDED. ITS TRANSMI CONTENTS TO OR RECEIPT BY AN UNAUTHOR	s, SECTIONS 793 ISSION OR REVE- RIZED PERSON IS	ALUATED INFORMATION		
OF THE UNITED IN THE CONTROL OF ITS IN PROBLEM BY	STATES, WITHIN THE MEANING OF TITLE 18 E U.S. CODE, AS AMENDED. ITS TRANSMICTONTENTS TO OB RECEIPT BY AN UNAUTHOR, A.M. THE REPRODUCTION OF THIS FORM The Research Institu	THIS IS UNEV.	Light Industry, was located in		
of the UNITED IND 794, DE THI LATION OF ITS ROCHESTED BY	The Research Institu Prague-Kyje, Rajska cement blocks, cover	THIS IS UNEX.  THIS IS UNEX.  THE PROPERTY.  THE ACT OF THE PROPERTY.	Light Industry, was located in the building was constructed of		
F THE UNITED IND 794, OF THI ATION OF ITS TROHIBITED BY	The Research Institu Prague-Kyje, Rajska cement blocks, cover asbestos-type materi	THIS IS UNEX.  THIS IS UNEX.  THE PROPERTIES.  THE IS UNEX.	Light Industry, was located in the building was constructed of overed with "Eternit", an		
F THE UNITED IND 1944, DE THI IND 1944, DE THI ATTOM OF ITS ROOH BITED BY	The Research Institu Prague-Kyje, Rajska cement blocks, cover asbestos-type materi	THIS IS UNEX.  THIS IS UNEX.  THE PROPERTIES.  THE IS UNEX.	Light Industry, was located in the building was constructed of overed with "Eternit", an		
F THE UNITED IND 794, OF THI ATION OF ITS ROHIBITED BY	The Research Institu Prague-Kyje, Rajska cement blocks, cover asbestos-type materi The Director of the appointee assigned t was Dr. Frantisek Kri	THIS IS UNEX THIS IS UNEX THE TRANSPORTED FROM 15 TO A STATE OF THE TRANSPORTED THE TRANSPORTE	Light Industry, was located in the building was constructed of overed with "Eternit", an als, was Josef Melka, a political was carried out. His deputy were three section heads,		
5X1 1.	The Research Institu Prague-Kyje, Rajska cement blocks, cover asbestos-type materi The Director of the appointee assigned t was Dr. Frantisek Kri	THIS IS UNEX.  THIS IS UNEX.  THE PROHIBITED.  THE RAW Materials, Ministry of Zahrada, Manesova ulice 695. The roof was contained at the stucco. The roof was contained assure that Communist policy	Light Industry, was located in the building was constructed of overed with "Eternit", an als, was Josef Melka, a political was carried out. His deputy were three section heads,		
F THE UNITED IND 794, OF THE ATTON OF ITS ARTHUR OF THE ATTON OF ITS ARCHITECT BY	The Research Institu Prague-Kyje, Rajska cement blocks, cover asbestos-type materi The Director of the sppointee assigned t was Dr. Frantisek Kri namely, a Director of Dr Kriz, the Deputy	THIS IS UNEX.  The promiser of the proof was considered as the proof of the proof o	Light Industry, was located in the building was constructed of overed with "Eternit", an a political was carried out. His deputy were three section heads, Technical Director, r, Ales Vrtal.		
5X1 1.  5X1 2.  X1 3.	The Research Institute Research Institute Research Institute Research Institute Prague-Kyje, Rajska cement blocks, cover asbestos-type materia The Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of Dr Kriz, the Deputy Institute. Toubal, Dr. Eva Sourkova, Dr.	THIS IS UNEX.  The Raw Materials, Ministry of Zahrada, Manesova ulice 695. The red with stucco. The roof was constant.  Research Institute, Raw Materials of assure that Communist policy is assure that Communist policy is a sure that Communist policy is a	Light Industry, was located in the building was constructed of overed with "Eternit", an  As, was Josef Melka, a political was carried out. His deputy were three section heads, Technical Director, T, Ales Vrtal.  scientific tasks of the me assistance of Dr. Emil Sourek, Dr. Jaroslav Slaba, Eng. Evzen		
5X1 1.  5X1 2.  X1 3.	The Research Institute Research Institute Research Institute Research Institute Prague-Kyje, Rajska cement blocks, cover asbestos-type materia The Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of Dr Kriz, the Deputy Institute. Toubal, Dr. Eva Sourkova, Dr.	THIS IS UNEX.  The Raw Materials, Ministry of Zahrada, Manesova ulice 695. The red with stucco. The roof was constant.  Research Institute, Raw Materials of assure that Communist policy is a sure that Communist policy is a	Light Industry, was located in the building was constructed of overed with "Eternit", an a political was carried out. His deputy were three section heads, Technical Director, r, Ales Vrtal.  scientific tasks of the me assistance of Dr. Emil Sourek, Dr. Jaroslav Slaba, Eng. Evzen actively in the laboratory work		
5X1 1.  5X1 2.  6X1 3.  6X1	The Research Institu Prague-Kyje, Rajska cement blocks, cover asbestos-type materi The Director of the appointee assigned t was Dr. Frantisek Kri namely, a Director of Dr Kriz, the Deputy Institute. Toubal, Dr. Eva Sourkova, Dn Pirko, and	THIS IS UNEX.  THE PROMISITED.  THE PROMISITED.  THE PROMISITED.  THE PROMISITED.  THE PROMISITED.  THE SUNEY.  TH	Light Industry, was located in the building was constructed of overed with "Eternit", an a scarried out. His deputy were three section heads, Technical Director, and the scientific tasks of the se assistance of Dr. Emil Sourek, Dr. Jaroslav Slaba, Eng. Evzen actively in the laboratory work Pirko, Eng. Base, Dr. Kriz, dislav Pilnacek, Pankova, and,		
of the united and 794, or the LATION OF ITS PRONIBITED BY	The Research Institute Prague-Kyje, Rajska cement blocks, cover asbestos-type materia The Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of Dr Kriz, the Deputy Institute. Toubal, Dr. Eva Sourkova, Dn Pirko, and Miroslav Potucek, Rulike Kriz, act	THIS IS UNEX.  THE PROMISITED.  THE PROMISITED.  THE PROMISITED.  THE PROMISITED.  THE PROMISITED.  THE SUNEY.  TH	Light Industry, was located in the building was constructed of overed with "Eternit", an a scarried out. His deputy were three section heads, Technical Director, and the scientific tasks of the eassistance of Dr. Emil Sourek, Dr. Jaroslav Slaba, Eng. Evzen actively in the laboratory work Pirko, Eng. Base, Dr. Kriz, dislav Pilnacek, Pankova, and, ts tasks. Vrtal, as Administration.		
5X1 1.  5X1 2.  5X1 3.  5X1 2.	The Research Institute Prague-Kyje, Rajska cement blocks, cover asbestos-type materi The Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of the appointee assigned twas Dr. Frantisek Krinamely, a Director of th	THIS IS UNEX THIS IS UNEX THE TRANSPORTED FERSON IS THE PROPERTIES.  THE RAW Materials, Ministry of Zahrada, Manesova ulice 695. If yed with stucco. The roof was contained as a sure that Communist policy in a subordinate to the Director of Research, Jaroslav Toubal, a land an Administrative Director of Research, had the Kriz, Engineer Frantisek Base, Toubal himself also participated adolf Simek, Eng. Otto Kadlec, Land and the scientific section head and the scientific section head	Light Industry, was located in the building was constructed of overed with "Eternit", an as carried out. His deputy were three section heads, Technical Director, r, Ales Vrtal.  scientific tasks of the se assistance of Dr. Emil Sourek, Dr. Jaroslav Slaba, Eng. Evzen actively in the laboratory work Pirko, Eng. Base, Dr. Kriz, dislav Pilnacek, Pankova, and, is tasks. Vrtal, as Administrat okkeeper, and a supply clerk.		

problems to be studied during the year and the number of man-hours to be alloted to each problem. To fulfill this plan, the Institute made use of the time of each staff member as economically as possible.

CLASSIFICATION

SECRET

STATE	#	х	NAVY	#	x	NSRB	7	D	ISTRIE	UTION.				
ARMY	#	x	AIR	#	X	FBI	,	OSI	X					

If a scientist completed his man-hour assignment on one task, he was utilized for duties in another section or another problem. The ultimate responsibility for the problems of the Institute lay with the Director, and below him, with the Research Director and Technical Director. The Institute was not exculsively concerned with raw materials, since the research problems assigned to its institutes by the Ministry of Light Industry were given out on the basis of qualification of staff plus availability of space. The specialty of the Research Institute at Prague-Kyje did not prevent the Ministry from assigning it tasks not necessarily related to Raw Materials.

- 5. The problems assigned to the Research Institute, Raw Materials, during 1951, are listed below.
  - (a) Preparation of briquettes from ore to facilitate smelting
  - (b) Determination of a method to utilize slag from manganese smelting.
  - (c) Determination of methods for utilizing waste bakelite paper.
  - (d) Extraction of gold from gold-poor sand.
  - (e) Utilization of broken glass from glass factories .
  - (f) Utilization of chestnuts,
  - (g) Utilization of cattle livers.
  - (h) Extraction of fats and oils.
  - (1) Utilization of waste cellulose.
  - (j) Utilization of cattle horns.
  - (k) Utilization of slag from aluminum production.
  - (1) Processing of stems from hops for use as textiles.
- 6. In 1952, problem (1) was cancelled, problems (d), (e), (f), and (g) were continued, and the remaining problems of 1951 were considered to have been solved. Other problems of 1952 were:
  - (a) Protection of bulstles (for brushes) against decay.
  - (b) Discovery of materials for protection against gamma and X-rays.
  - (c) Removal of rubber from rubber-impregnated textiles .
  - (d) Production of high per cent alpha cellulose \*
  - (e) Preparation of protective material against gamma rays-
- 7. Preparation of briquettes from ores was frequently requested of the Raw Materials Institute. The problem was to prepare small blocks of ore from the powdered material, to obtain a size of 20 mm cube, or 20 x 20 x 50 mm, or 70 x 70 x 70 mm. These briquettes were made by using an idhesive (eg, water glass, clay, cellulose). Requests to make such briquettes were still coming in in May 1952. The ores supplied were not subjected to analysis, because this was forbidden, but qualitative tests indicated that the ores were iron, pyrites, and some cobalt ores. The briquettes were supposedly prepared to assist in the smelting of the ores.

SECRET

the most important task assigned to the Raw Materials Institute was the problem of finding a protective material against gamma rays. Drs Kriz, Slaba, and Potucek were assigned the task. It was specified that lead sheets could not be employed.

- (a) In order to set up a standard of protection against gamma rays, a board of barite (barium sulfate) was prepared with a thickness of 10 mm. The protection which this gave against X-rays was measured by observing the intensity of light on a fluorescent screen. An arbitrary value of one was given to this barium standard.
- (b) A board was then made of slag from the lead purification process used at lead smelter plants. This slag consisted of the oxides of lead, lead sulfide, and probably traces of antimony and silver. The board was prepared in a thickness of 10 mm using adhesives such as cement, viscose and water glass. One board of this slag gave as much protection as 3.5 barite boards, as observed on the fluorescent screen. Measurements of the light effect of the board shields on the fluorescent screen were estimated by unaided vision.
- (e) The Raw Materials Institute received samples of ore from other countries. These ores were in paper sacks with identifying writing or printing on the paper, from which the Institute personnel guessed that the ores came from Bulgaria, Hungary, Poland, and Rumania. These ores arrived during January and February 1952. It was requested that these ores be made up into boards and tested for gamma ray protection. Hundreds of such boards were made, and the maximum protection afforded by the plates from these ores was never more than 70 per cent of the value of the lead slag plate. All findings were sent to the state radiological laboratory in Jachymov.

25X1 (d	) No analysis of the ores so tested was permitted, but
25X1	they resembled pitchblende. in mines in the
25X1	Jachymov area there a similar type of ore
25V1	covering veins of iron ore.

- (e) No reason for this project was given to the Institute, and the government classified the work as secret, is not to be discussed.
- 9. The equipment available to the Raw Material Institute in Prague-Kyje was as follows:
  - (a) <u>Upper floor</u>: two ice boxes, eight microscopes, two polarimeters, one or two spectrometers, two thermostatically controlled evens, two water baths, drying evens, six work tables, one photomicro camera, one microtome, one vacuum pump, one autoclave, one centrifuge, and other normal laboratory equipment.
  - (b) Lower floor: nine work-benches, one binocular microscope, one Siemens X-ray apparatus, five analytical balances, three autoclaves, two vacuum pumps, one compressor, one acetylene torch, small electric ovens, water baths, metal "freezer", two viscosimeters, one saccharometer, one "butterometer", two Beckman thermometers, Braun Boweri pH meter, Bosch pH meter, small pumps and motors, a fume hood, hydraulic presses, transformer, water still (home made), rectifier, paper-cutter, ball-mill, glass blower, small mixers.

SECRES

Approved For	REGRETE	GECHAITC	AND PRINCIPAL STATE	R01600	016000 <del>7-</del> 5 <sup>X1</sup>
• •	· · · · · · · · ·			2.5	

\_4.

- (c) Workshop: lathe, borer, shaper, mechanical hydraulic press, welding equipment, stock for material and equipment repair.
- (d) The library of the Raw Materials Institute had two thousand books (in German, Czeth, French, English, and Russian). The Seviet chemical journal "Chemichestvo" was available. The library found it practically impossible to obtain foreign journals, even Soviet journals.

-end-

Enclosure (A) Sketch of Research Institute, Rem Matrial Ministry of Light Industry

SECRET

